

CHAPTER

FIVE

PUBLIC WORKS

Report of the Department of
Public Works

Report of the Department of Public Works

The Town of Athol Department of Public Works is a consolidated department of 24 full time employees and two part time employees who are responsible for streets, sidewalks, drainage, water and sewer, solid waste and administrative duties. We maintain a roadway network of over 110 miles. We are also responsible for mowing and maintaining 9 cemeteries, 60 acres of parks and ball fields, pruning and removal of town trees. The DPW operates and maintains 4 wells and four water storage tanks. There are also 26 buildings under the DPW's direct responsibility ranging from small sheds to multi-million dollar facilities including a wastewater treatment plant, six wastewater pump stations; two water treatment facilities, two booster pump stations, and a maintenance depot. We also operate the Transfer Station. The Transfer Station is nearing 7 successful years of operation as a full enterprise, self sustaining operation. We now provide a location for disposal of solid waste and demolition and more importantly, provides the opportunity to recycle.

Our current staff represents a significant cut in manpower. In 2003 there were 31 on staff and in the 1980's there were 42. In spite of the cuts in manpower, the need for service has not decreased. Many dedicated volunteers and Senior Tax Abatement participants have helped with the increased maintenance needs. We sincerely appreciate their efforts.

Our normal maintenance activities include; snow & ice control, sweeping

streets and sand removal, pothole patching, cleaning and rebuilding collapsed manholes and catch basins, clearing sewer blockages, reading and repairing water meters, fixing water and sewer pipes, rebuilding pumps and motors, installing signs, mowing grass in parks and cemeteries, burials and roadside brush control, removal of hazardous roadside trees, managing and maintaining a solid waste handling facility and maintaining a fleet of vehicles; as well as maintenance of several buildings. There are also many administrative duties including customer relations, water and sewer billing, cemetery records, grant coordination, project preparation, review and inspection; contract preparation and bidding; environmental permitting and many other miscellaneous tasks.

The following are just some of the many projects that have been in progress or completed in fiscal 2014:

Started the installation of the new water main, booster pump station, and water storage tank for the Athol Commons project.

Replaced 5 fire hydrants

Completed installation of 700' of water main on Twitchell Street with new ductile iron pipe.

Continued replacement/conversion of all water meters to allow for radio read meter reading.


Repaired/Coated the roof on the South Street treatment facility

Completed the repairs to the Pinedale Ave. bridge.

Completed paving of Pinedale Road, S. Athol from Morton Street to N. Riverview and S. Riverview to Partridgeville Road, and Partridgeville Rd. to Gage Road.

Respectfully,

**THE DEPARTMENT OF PUBLIC
WORKS**



**Town of Athol Water Division
2014 Water Quality Report
Public Water Supply Identification Number 1015000**

The Town of Athol Water Division once again is pleased to tell you our water system had another successful year of supplying you with the highest quality of water. This was all made possible with the team of professional staff here within the Town of Athol Department of Public Works. The following staff is committed to working hard as a team to assure you're provided with water of the highest quality and can be contacted at 978-249-4542.

Public Works Superintendent

Douglas A. Walsh

Assistant Superintendent

Duane Truehart

Administrative Clerk

Diana Cooley

Water Department Staff

Water & Sewer Foreman

Andrew Tessier

Treatment Operator

Robert Hughes

Utility Foreman

Thomas Wheeler (Retired 11/14/14)

Distribution Operators

David Carr
Andrew Belloli

SOURCES OF SUPPLY

The Town of Athol has four (4) groundwater sources all located in the downtown area. Water is pumped from three (3) of these sources to the Public Works facility for treatment, before being distributed through the 56 miles of distribution lines to your homes. The fourth groundwater source has a treatment facility of its own located off of Jones Street.

All of these sources pump from downtown to the uptown area where a booster station is provided to assist in the filling of the storage tanks and supply the distribution system with an adequate supply of water.

Projects Completed in 2014

- Continued replacement of fire hydrants
- Continued replacement of water meters with radio reads.
- Complete overhaul of So. St. carbon vessel #2
- Replaced 700 ft of water main on Twitchell St.
- Completed the Templeton Road Booster station and water storage along with approximately 3500 ft of water main
- Refurbished So St well building roof

Projects Scheduled for 2015

- Phase #1 water main replacement Grove St and Highland St area
- Continue replacement and /or installation of water meter radio reads
- Upgrade of So. St. chlorination system



Water Cost in 2014, \$3.77 p/100 cubic feet = 750 Gallons

WATER CONSERVATION

There are several ways you can help to conserve water, lower your cost and replenish our valuable resource.

- Don't let water run while washing cars
- Don't let water run while brushing your teeth
- Check for leaking toilets by placing food coloring in the tank and see if it ends up in the bowl.
- Contact the Department of Public Works for assistance at 978-249-4542

You can replenish our resources by removing roof drains and sump pumps from sanitary sewers and divert water to your back yards allowing water to naturally flow back into the ground.

And did you know it is actually illegal to have your sump pumps and roof drains connected to the town's sanitary sewer.



Garfield Tank

Source Water Assessment Plan

In 2003, a source water assessment plan was updated and prepared for the town to protect our water supplies. The program is to prevent any further contamination of our sources. Restrictions are in place to prevent hazardous materials and facilities from being allowed within the established protection zones. Our local agencies work very closely with the Public Works Department to prevent any type of contamination.

To receive a copy of the source water assessment plan please contact the Department of Public Works at 584 Main Street-Room 24, Athol, MA 01331.

“The sources of drinking water (both tap water and bottled water) include rivers lakes, streams, ponds, reservoirs, springs & wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity”.

All drinking water, including bottled water may reasonably be expected to contain at least small amounts of some contaminants. The presence of some contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the environmental agency’s Safe Drinking Water Hotline at 1-800-426-4791.

Contaminants That May Be Present In Source Water.....

- Microbial Contaminants, such as viruses and bacteria that may come from sewerage treatment plants, septic systems, agricultural livestock operations and wildlife.
- Pesticides and Herbicides that may come from a variety of sources such as agriculture, urban storm water runoff, and residential uses.
- Inorganic Chemical Contaminants, such as salts and metals, that can be naturally-occurring or result from urban storm water runoff, industrial, or domestic wastewater discharges, oil and gas production, mining or farming.
- Organic Chemical Contaminants, including synthetic and volatile organic chemicals that are by-products of industrial processes and petroleum production, and can also come from gas stations, urban storm water runoff and septic systems.
- Radioactive Contaminants, that can be naturally occurring or be the result of oil and gas production and mining activities.

Notice of non-compliance

In 2014 the Athol water department received two notices of non-compliance. One was for failure to use the proper certification form for the 2013 CCR. The second one was for failure to submit an unaccounted for water equivalence plan, for 2011 and 2013 this was required for not meeting the 10% annual unaccounted for water requirement. A plan was submitted in May 2014 in response to the notice of non-compliance.

Protection of the Water System

The Public Works Department and Local Agencies can only provide a certain amount of protection without the help of you the resident and consumer. We ask that you assist us in protecting our valuable water resources by reporting any illegal dumping of gasoline, oil or other hazardous materials on to the ground by calling the Public Works Office at 978-249-4542. Reports of suspicious activity around the Water Department Buildings or Water Storage Tanks please contact the local Police Department at 978-249-3232



Zone II is the Department of Environmental Protection approved primary recharge area for our aquifer. It is very important to protect the land within zone II to avoid contamination to our water supply from improper disposal of hazardous materials from residential, commercial and industrial facilities.

Cross Connection Program

A cross connection is an actual or potential interconnection between a drinking water line and any source of pollution or contamination such as a piping arrangement that allows drinking water to come in contact with non drinking water, chemicals gases or other potentially harmful substances. Plumbing cross connections exist whenever a pipe carrying drinking water has a direct physical connection to a source of potentially harmful materials.

Examples of Cross Connections:



- A water feed to a boiler
- A water line feed to a chemical tank
- A garden hose connected to an outside spigot and one end submerged below the surface of a swimming pool
- A garden hose with a fertilizer/pesticide spray attachment
- A hose connected to sink faucet and under low pressure situations could possibly back-siphon

These are just a few examples that could occur if there was a pressure drop in the distribution system due to a water break, causing the back siphonage of these hazardous materials into the water system.

How can you help to prevent some cross connections?

You can assist the water system and every potential user by installing Hose Bibb Vacuum Breakers on all threaded faucets in and outside of your home. These devices will prevent hazardous water from being siphoned back into your home.

Our staff, survey all **Commercial, Industrial, Municipal and Institutional** buildings for hazardous cross connections. Once surveyed owners of these facilities either eliminate the cross connection or install the appropriate device(s) for protection against the back syphonage of the hazard within their facility. On a regular basis our staff will visit each facility and test the backflow devices to insure they are functioning appropriately. If your Facility has already undergone a survey and you alter your plumbing in any way, you need to notify the Athol Department of Public Works to determine if a new survey is necessary.

Understanding this Report

In order to ensure that tap water is safe to drink, USEPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. Food and Drug Administration (FDA) regulations establish limits for contaminants in bottled water that must provide the same protection for public health.

The Athol Water Department routinely monitors for constituents in your drinking water according to federal and state laws. This report covers the period of January 1, 2014 to December 31, 2014. The water division wants you to understand all drinking water, including bottled water, may be reasonably expected to contain at least small amounts of some contaminants. It is important to remember that the presence of these contaminants does not necessarily pose a health risk. More information about contaminants and potential health effects can be obtained by calling the EPA's Safe Drinking Water Hotline (800-426-4791).

Some people may be more vulnerable to contaminants in drinking water than the general population. Immune compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline (1-800-426-4791)

Definitions of Unit Measurements and Terms

In the tables to follow a variety of unit measurements will be used to describe the amount of a certain contaminant detected in the samples collected and tested. Below is a list of Measurements and terms with definitions to assist you in understanding the chart.

Distribution System – The network of pipes and valves that carry water from the treatment plant to the homes and businesses where water is used.

Massachusetts Department of Environmental Protection (DEP) – The state agency responsible for setting and enforcing drinking water regulations in Massachusetts.

The level of a drinking water disinfectant below which there is no known expected risk to health. MRDLG'S do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Maximum Contaminant Level (MCL) – The highest level of a contaminant in drinking water. MCL's are set as close to the MCLG's as feasible using the best available treatment technology.

Parts per Million (ppm) or Milligrams per Liter (mg/l) – One part per million corresponds to 1 minute in 2 years or a single penny in \$10,000.00.

Maximum Contaminant Level Goal (MCLG) – The level of a contaminant in drinking water below which there is no known or expected risk to health.

Picocuries per Liter (pCi/l) – A measurement of radioactivity in water.

Maximum Residual Disinfectant Contaminant Level Goal (MRDLG) –

Micrograms per Liter (Ug/l) - parts per billion

Water Quality Testing:

Below are substances that were detected in the town's drinking water during the past 5 years. None of these substances were detected above the allowable limit.

Range of Dates	Contaminant	Highest Detect Value	Range Detected	MCL	MCLG	Violation (Y/N)	Possible Source
01/01/14 12/31/14	Fluoride	1.2 ppm	0.8 -1.2 ppm	4.0 ppm	4.0 ppm	N	Erosion of natural deposits: Added to water for dental hygiene
<p>Fluoride is a naturally occurring element in many water supplies in trace amounts. In our system the fluoride level is adjusted to an optimal level averaging one part per million (ppm or mg/l) to improve oral health in children. At this level, it is safe, odorless, colorless, and tasteless. Our water system has been providing this treatment since 1960. There are over 3.9 million people in 140 Massachusetts water systems and 184 million people in the United States who receive health and economic benefits of fluoridation.</p>							
05/20/14	Nitrate	1.4 ppm	1.2-1.4 ppm	10.0 ppm	10.0 ppm	N	Runoff from fertilizer use. Leaching from septic tanks.

Bacteria Testing

	Highest # Positive in a month	MCL	MCLG	Violation (Y/N)	Possible Source of Contamination
Total Coliform	None	1	0	N	Naturally present in the environment
E.Coli	None	*	0	N	Human and animal fecal waste

*Compliance with the E.coli MCL is determined upon additional repeat testing.

Unregulated Inorganic

Range of Dates	Contaminant	Highest Detect Value	Range Detected	MCL	MCLG	Violation (Y/N)	Possible Source
05/20/14	Sodium	78 ppm	41 - 78 ppm	None	Zero	N	Winter deicing operations
09/21/11	Sulfate	9.5 ppm	8.3-9.5 ppm	None	Zero	N	Natural Deposits
04/20/11	Barium	.018 ppm	0.014-0.018 ppm	2.0 ppm	Zero	N	Natural Deposits
05/20/14	Manganese	0.0051 ppm	0.0023-0.0051 ppm	0.05 ppm	Zero	N	Natural Deposits

Volatile Organic Compounds

Range of Dates	Contaminant	Highest Detect Value	Range Detected	MCL	MCLG	Violation (Y/N)	Possible Source
02/18/13-10/15/2013	Trichloroethylene	0.69 ug/l	0.52 ug/l-0.69 ug/l	5.0 ug/l	Zero	N	Discharge from metal degreasing sites and other factories
02/18/14	Methyl Tertiary Butyl Ether (MBTE)	0.79 ug/l	0.79 ug/l	70 ug/l	70 ug/l ORSGL*	NA	Fuel Additive; leaks and spills from gasoline storage tanks

* Massachusetts Office of Research and Standards as adopted a guideline of 70 ug/l as a health protective concentration for MBTE and Drinking Water

Disinfectants and Disinfection By-Products

Range Of Dates	Substance	Highest Value Detected	Range Detected	Highest Quarterly Average	MRDL	MRDLG	Annual Quarterly Running Average	Sources
Monthly 2014	Residual Chlorine	2.11 ppm	.02-2.11 ppm	0.50 ppm	4.0 ppm	4.0 ppm	0.47 ppm	Additive to Control Bacteria

Range of Dates		Highest Value Detected	Range Detected	MCL	MCLG	Violation (Y/N)	Possible Source
02/18/14-11/18/14	Halo acetic Acids	8.5 ug/l	0.53 – 8.5 ug/l	60 ug/l	zero	N	By-Product of drinking water disinfection
02/18/14-11/18/14	Trihalomethanes	24.0 ug/l	13.0-24.0 ug/l	80 ug/l	zero	N	By-Product of drinking water Chlorination

Special sampling of the Athol Commons water storage tank detected Trihalomethanes of 17.13 ug/l, this was a by-product of the tank disinfection process.

Nitrates: Infants below the age of six months who drink water containing nitrate in excess of the MCL could become seriously ill and, if untreated, may die. Symptoms include shortness of breath and Blue Baby Syndrome.

The Town of Athol Water Division was granted a sampling waiver for Inorganic Compound on February 28, 2012 and for Synthetic Organic Compound on April 30, 2012.

LEAD AND COPPER

Understand the source water and water within the distribution system is lead free. However, some of the older homes when they were built had plumbing installed that may have lead soldered joints or lead and copper pipes as part of their plumbing. When water is allowed to remain in these pipes for a period of time the lead and copper can dissolve into the water. The Town of Athol treats their water to prevent this process from occurring.

“If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. The Town of Athol is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can minimize exposure is available from the Safe Drinking Water Hotline or at <http://www.epa.gov/safewater/lead>.”

The following results are from August 12, 2014 testing:


Parameter	Action Level (AL)	90th Percentile	90th %> AL Yes/No	# of Sites Sampled	# of Sites Above AL	% of Sites Above AL
Lead (ppm)	0.015	0.0052	No	20	1	5
Copper (ppm)	1.3	0.010	No	20	None	Zero

Likely source for corrosion of lead & copper is household plumbing:

The 90th percentile means, of every 10-sample sites, 9 are at or below that number.

Action Level – The concentration of a contaminant that, if exceeded, triggers treatment or other requirements, which a water system must follow.

OVERVIEW OF THE SYSTEM



If you have any questions about this report or would like to know more about your water utility, please contact the Department of Public Works office at 584 Main St. Room 24 Athol, MA 01331 or by calling 978-249-4542.
Monday, Wednesday, Thursday 8:00am – 5:00pm
Tuesday 8:00am – 8:00pm
Friday Office is Closed
A member of our professional staff will be more than happy to answer any questions you might have.

Copies of this report will be available at the Town Clerk's Office, the Town of Athol Web site at <http://www.athol-ma.gov> and Department of Public Works at 584 Main Street, Athol MA.